

A J COPE & SON LTD
The Oval
London E2 9DU
Telephone: +44 (0) 20 7729 2405
Facsimile: +44 (0) 20 7729 2657

Internet: www.ajcope.co.uk

ELECTRONIC CATALOGUE
CUSTOMER'S AMENDMENTS
ISSUE 06 — SEPTEMBER 2010
Page 1 of 5 pages

	<i>Amendment</i>																		
	<p>CANCELLATION</p> <p>AD180-12 Cancelled, offer AD087-25</p>																		
	<p>NEW ITEM</p> <p>Lids for Disposable Cells Polypropylene. For use with 10mm path length square cells. Supplied in a pack of 1000.</p> <p>CA408-15 Lids for 10mm cells pk. 1000</p>																		
	<p>NEW ITEMS</p> <p>Cork Rings, compressed For supporting flasks. Thickness 35mm. Supplied singly.</p> <table data-bbox="300 1227 880 1413"> <thead> <tr> <th></th> <th>o.d. x i.d.</th> <th>For flasks, ml</th> </tr> </thead> <tbody> <tr> <td>CW308-08</td> <td>80 x 30</td> <td>25 to 150</td> </tr> <tr> <td>CW308-12</td> <td>110 x 60</td> <td>250, 500</td> </tr> <tr> <td>CW308-16</td> <td>140 x 90</td> <td>1000</td> </tr> <tr> <td>CW308-20</td> <td>170 x 120</td> <td>2000, 3000</td> </tr> <tr> <td>CW308-24</td> <td>210 x 150</td> <td>4000, 5000</td> </tr> </tbody> </table>		o.d. x i.d.	For flasks, ml	CW308-08	80 x 30	25 to 150	CW308-12	110 x 60	250, 500	CW308-16	140 x 90	1000	CW308-20	170 x 120	2000, 3000	CW308-24	210 x 150	4000, 5000
	o.d. x i.d.	For flasks, ml																	
CW308-08	80 x 30	25 to 150																	
CW308-12	110 x 60	250, 500																	
CW308-16	140 x 90	1000																	
CW308-20	170 x 120	2000, 3000																	
CW308-24	210 x 150	4000, 5000																	
	<p>NEW ITEMS</p> <p>Glass Beads Soda lime glass. Approximate diameters as indicated. Supplied in packs of 1kg.</p> <table data-bbox="300 1653 549 1868"> <tbody> <tr> <td>DT984-02</td> <td>2mm</td> </tr> <tr> <td>DT984-03</td> <td>3mm</td> </tr> <tr> <td>DT984-04</td> <td>4mm</td> </tr> <tr> <td>DT984-05</td> <td>5mm</td> </tr> <tr> <td>DT984-06</td> <td>6mm</td> </tr> <tr> <td>DT984-08</td> <td>8mm</td> </tr> <tr> <td>DT984-10</td> <td>10mm</td> </tr> </tbody> </table>	DT984-02	2mm	DT984-03	3mm	DT984-04	4mm	DT984-05	5mm	DT984-06	6mm	DT984-08	8mm	DT984-10	10mm				
DT984-02	2mm																		
DT984-03	3mm																		
DT984-04	4mm																		
DT984-05	5mm																		
DT984-06	6mm																		
DT984-08	8mm																		
DT984-10	10mm																		

	<p>NEW ITEMS</p> <p>Write-On™ Tape Self-adhesive, colour-coded, labelling tape which can be marked with most types of pen. Temperature resistant from -73°C to +121°C, with excellent adhesion to glass, metal and most plastics including PTFE. Steam and solvent resistant. 13mm wide. Supplied in a roll of 36.5 metres on a 75mm core. In colours as indicated.</p> <p>LA310-05 White LA310-10 Red LA310-15 Yellow LA310-20 Green LA310-25 Blue LA310-30 Orange</p>
	<p>CANCELLATIONS</p> <p>LA604-10 Cancelled, no replacement LA608-30 Cancelled, no replacement LA610-15 Cancelled, no replacement LA610-30 Cancelled, no replacement</p>
	<p>NEW ITEMS</p> <p>Ink Markers, Laboratory Ideal for marking polystyrene petri dishes, metal, glass and most plastics, cold (above 0oC) or moist surfaces. Water and alcohol resistant, autoclavable ink. Can be removed from non-porous surfaces by scrubbing with detergent. Colours as indicated. Supplied singly.</p> <p>LA620-04 Black LA620-08 Red LA620-12 Blue LA620-16 Green</p> <p>Ink Markers, Histology and Cytology Hard wearing, fibre point tip with ultra-permanent ink, resistant to water, ethanol, xylene, formalin and other solvents. Ideal for marking embedding or biopsy cassettes or Tissue Culture flasks and dishes. Colours as indicated. Supplied singly.</p> <p>LA625-10 Black LA625-20 Red</p>
	<p>CANCELLATION</p> <p>MW118-10 Cancelled, offer MW118-15</p>

NEW ITEM

Infra-Red Moisture Analyser MJ33, Mettler-Toledo

- ▲ Simple operation
- ▲ Fully automatic, manual, or time-controlled switch-off
- ▲ Compact, clear readout with user guidance icons and backlit, blue on white background, LCD
- ▲ Reliable, metal heating elements ensure error-free measurement
- ▲ Easy to clean chamber
- ▲ RS232C output port

Weighing range	g	0.5 to 35
Readability		0.01% or 1mg
Temperature range		50 to 160°C in 1°C steps
Results		Moisture and dry content in %, dry content in g, ATRO dry, ATRO wet
Overall W x D x H	mm	230 x 360 x 150
Weight	kg	4.3

Moisture Analyser, MJ33

As described. For 240V 50/60Hz single phase supplies.

- MW118-15 MJ33
- BD790-06 Aluminium foil sample dishes, pack of 80
- BD912-52 Calibration weight, Class F1, 20g

Printer RS-P26

Dot matrix. With zero/tare command, date and time print, paper feed, print command and select functions. Provides GLP/GMP-compliant printout on non-fading, temperature-stable paper. Supplied with 1 metre long, 9-pin, RS232 interface cable, paper roll and ribbon cartridge. Overall 120 x 230 x 73mm W x D x H. Weight 0.75kg. For 100-240V 50/60Hz a.c. single phase supplies.

- BC540-22 Printer RS-P26
- BC540-35 Spare plain paper rolls for BC540-22, pack of 5
- BC540-39 Spare ribbon cartridges for BC540-22, pack of 2

NEW ITEMS

Gloves, High temperature, Nomex

Heat resistant to 250°C. Very supple, seamless, knitted material providing extreme comfort and freedom of movement. Available as gloves, or gauntlets additional cotton wrist/forearm protection. Supplied in single pairs.

- SA715-10 Gloves
- SA715-15 Gauntlets

	<p>CANCELLATION</p> <p>TG730-25 Cancelled, offer TG730-17</p> <p>NEW ITEM</p> <p>Probe Dial Thermometer Stainless steel spiked stem 5mm o.d. x 295mm long and 51mm dial. Range -10 to 110°C.</p> <p>TG730-17 Probe Thermometer</p>
	<p>CANCELLATIONS</p> <p>TJ850-40 Cancelled, no replacement TJ850-42 Cancelled, no replacement TJ850-45 Cancelled, no replacement TJ850-47 Cancelled, no replacement TJ852-40 Cancelled, no replacement TJ852-42 Cancelled, no replacement TJ852-45 Cancelled, no replacement TJ852-47 Cancelled, no replacement TJ852-95 Cancelled, no replacement TJ865-45 Cancelled, no replacement TJ867-02 Cancelled, special order only TJ867-05 Cancelled, special order only TJ867-30 Cancelled, special order only TJ867-34 Cancelled, special order only</p>
	<p>CANCELLATIONS</p> <p>TJ875-10 Cancelled, no replacement TJ875-90 Cancelled, no replacement TJ875-95 Cancelled, no replacement TJ877-13 Cancelled, special order only TJ877-17 Cancelled, special order only TJ877-21 Cancelled, special order only TJ877-25 Cancelled, special order only TJ877-29 Cancelled, special order only TJ877-33 Cancelled, special order only TJ877-37 Cancelled, special order only TJ877-41 Cancelled, special order only TJ877-45 Cancelled, special order only TJ877-85 Cancelled, no replacement</p>
	<p>REINSTATEMENT</p> <p>Sealing Film, Saran wrap A flexible, transparent, microwaveable PVDC sealing film offering excellent barrier characteristics against oxygen, moisture and chemical attack. Particularly suited to gel drying applications where it can be used to prevent contamination of the silicone sealing mat of the gel dryer, and to enhance even drying across the gel. It has less tendency to cling than traditional sealing films and therefore does not lift the gel on removal. Can be used to cover and store pre-cast gels for long periods at +40°C and is UV transparent, allowing use as a cover for agarose gels during observation and photography on a transilluminator. Supplied on a roll in a cutter box dispenser carton.</p> <p>SE177-20 300mm W x 300m L</p>

AMENDMENTS

The Following Arsenic test kits have revised ranges/increments as follows:

	Range/increments ug/l (ppb)
WS565-42	0, 0.3, 0.7, 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4, 5, 6, 8, 10, 13, >20
WS565-47	<2, 3, 5, 7, 8, 9, 10, 12, 16, 20, 25, 30, 40, 50, 80, >80, >90, >100
WS565-51	0, 5, 10, 20, 60, 100, 300, 500, >500
All other details are unchanged.	

CANCELLATION

RG210-85 Cancelled, offer **RG210-84**

NEW ITEM

Laboratory Refrigerator, Labcold
 “Spark-free” interior. Fan-assisted air circulation powered by an external motor. Temperature range +2 to +8oC up to +32oC ambient. Integral door lock. Automatic defrosting. CFC-, HCFC- and ammonia-free refrigerants used. Removable, plastic-coated wire shelves with adjustable height. For 230V 50/60Hz single phase supplies.

	Gross cap. litres	H x W x D mm	Shelves supplied	Price
RG210-84	430	1860 x 600 x 680	6	1800.00

T H E E N D

PRICES FOR NEW ITEMS

Page 1 of 1 page

SEPTEMBER 2010

CAT. NO.	PRICE £	Per	CODE
CA408-15	18.85	pk. 1000	AD
CW308-08	1.29	each	SO
CW308-12	1.69	each	SO
CW308-16	2.57	each	SO
CW308-20	3.27	each	SO
CW308-24	6.32	each	SO
DT984-02	7.65	pack	RO
DT984-03	7.65	pack	RO
DT984-04	9.85	pack	RO
DT984-05	8.85	pack	RO
DT984-06	8.85	pack	RO
DT984-08	11.15	pack	RO
DT984-10	10.55	pack	RO
LA310-05	8.85	roll	EE
LA310-10	8.85	roll	EE
LA310-15	8.85	roll	EE
LA310-20	8.85	roll	EE
LA310-25	8.85	roll	EE
LA310-30	8.85	roll	EE
LA620-04	3.50	each	AO
LA620-08	3.50	each	AO
LA620-12	3.50	each	AO
LA620-16	3.50	each	AO
LA625-10	5.20	each	AO
LA625-20	5.20	each	AO
MW118-15	1510.00	each	KH
RG210-84	1800.00	each	FO
SA715-10	20.95	pair	EO
SA715-15	32.70	pair	EO
SE177-20	44.00	roll	OO
TG730-17	39.95	each	AO
WS565-42	199.99	pack	EO
WS565-47	199.99	pack	EO
WS565-51	17.50	pack	EO

T H E E N D