

ELECTRONIC CATALOGUE
CUSTOMER'S AMENDMENTS
ISSUE 10 —October 2012
Page 1 of 6 pages

	<i>Amendment</i>
	<p>CANCELLATIONS</p> <p>CR270-10 Cancelled, offer CR275-15 CR272-05 Cancelled, no replacement CR272-07 Cancelled, no replacement</p>
	<p>=====</p> <p>CANCELLATIONS</p> <p>CX250-10 Cancelled, special order only CX250-13 Cancelled, special order only CX250-16 Cancelled, special order only CX250-19 Cancelled, special order only CX250-22 Cancelled, special order only CX250-25 Cancelled, special order only CX250-28 Cancelled, special order only CX250-31 Cancelled, special order only</p> <p>CX252-11 Cancelled, special order only CX252-15 Cancelled, special order only CX252-19 Cancelled, special order only CX252-23 Cancelled, special order only CX252-27 Cancelled, special order only CX252-36 Cancelled, special order only CX252-42 Cancelled, special order only</p>
	<p>=====</p> <p>AMENDMENT</p> <p>CX925-10 is now supplied in a card box of 80 vials not 100 vials as stated in the catalogue.</p> <p>All other details remain unchanged.</p>

NEW ITEM

Magnesia Rods, Flame Test

Manufactured in HCT 500 QS magnesium oxide refractory material. Size 140 x 1.8mm length x diameter. Supplied in a pack of 100.

FH640-15 Magnesia rods, pack of 100

CANCELLATIONS

MJ180-10 Cancelled, offer MJ180-75

MJ180-20 Cancelled, offer MJ184-18

MJ180-32 Cancelled, special order

NEW ITEM

MJ299-85 Spare 6V 20W halogen bulb for MJ299-10

AMENDMENT

MX200-26 now has an outside diameter of 90mm not 100mm as stated in the catalogue.

All other details remain unchanged.

CANCELLATION

SA300-92 Cancelled, offer SA300-87

NEW ITEM

Portable Fire Extinguisher, 2kg

Generally as SB215-12 but with 2kg capacity.

SB215-14 EPS2Z, 2kg capacity

AMENDMENTS

TG525-series are now supplied with 5 point correction/calibration, not 7 point as stated in the catalogue.

All other details remain unchanged.

CANCELLATIONS

TH730-10 Cancelled, no replacement

TH784-16 Cancelled, no replacement

CANCELLATIONS

TP458-90 Cancelled, offer TP458-02

TP458-92 Cancelled, no replacement

TP458-94 Cancelled, no replacement

TP458-96 Cancelled, no replacement

TP458-98 Cancelled, no replacement

CANCELLATIONS

UL100-15 Cancelled, offer UL110-15

UL100-20 Cancelled, offer UL110-20

UL100-30 Cancelled, offer UL110-30

UL100-35 Cancelled, offer UL110-45

UL100-40 Cancelled, offer UL110-45

UL100-50 Cancelled, offer UL325-30

UL100-60 Cancelled, offer UL325-35

UL100-70 Cancelled, offer UL325-40

UL100-80 Cancelled, offer UL325-45

UL103-14 Cancelled, no replacement

UL103-17 Cancelled, no replacement

UL103-23 Cancelled, no replacement

UL103-27 Cancelled, no replacement

UL103-31 Cancelled, no replacement

UL103-37 Cancelled, no replacement

UL103-42 Cancelled, no replacement

UL103-55 Cancelled, no replacement

UL103-60 Cancelled, no replacement

UL103-64 Cancelled, no replacement

UL103-68 Cancelled, no replacement

UL103-72 Cancelled, no replacement

UL103-76 Cancelled, no replacement

UL103-80 Cancelled, no replacement
 UL103-84 Cancelled, no replacement
 UL103-90 Cancelled, no replacement

NEW ITEMS

Analogue Ultrasonic Cleaning Baths

Ultrawave

- Tank and housing all stainless steel
- Integral heater with dial setting and separate on/off switch (except models U50, U100, U95 and U300); range ambient to +70°C
- Integral timer with dial setting from 0 to 15 minutes and separate on/off switch
- Integral side handles allow bath to be moved easily and safely
- Model U500H has a built-in tank drain
- Supplied with stainless steel basket and ABS lid which can also be used as a drip tray when removing the basket

Catalogue no.		UL110-15	UL110-20	UL110-25	UL110-30	UL110-35
Model		U50	U100	U100H	U95	U300
Capacity,	max L	0.6	1.75	1.75	2.25	2.75
	working L	0.5	1.5	1.5	1.95	2.5
Peak output,	W	35	35	35	35	35
Heater power,	W	—	—	80	—	—
Timer		0 to 15 minutes — all models				
Bath dimensions						
Internal	W, mm	150 (160)	150 (180)	150 (180)	200 (210)	240 (270)
(external)	D, mm	85 (95)	140 (160)	140 (160)	150 (165)	140 (170)
	H, mm	65 (165)	100 (190)	100 (190)	75 (160)	100 (210)
Weight,	kg	1.4	3.2	3.2	3.7	4.2

Catalogue no.		UL110-40	UL110-45
Model		U300H	U500H
Capacity,	max L	2.5	4.5
	working L	2.5	4.5
Peak output,	W	35	100
Heater power,	W	150	150
Timer		0 to 15 minutes — all models	
Bath dimensions			
Internal	W, mm	240 (270)	300 (330)
(external)	D, mm	140 (170)	150 (180)
	H, mm	100 (210)	150 (275)
Weight,	kg	4.2	5.6

Analogue Ultrasonic Cleaning Baths

With stainless steel tank and outer case, integral heater and timer where indicated, ABS lid and stainless steel basket. For 230V 50/60Hz single phase supplies.

UL110-15 Model U50, 0.6 litres, timer
 UL110-20 Model U100, 1.75 litres, timer
 UL110-25 Model U100H, 1.75 litres, heater/timer
 UL110-30 Model U95, 2.25 litres, timer
 UL110-35 Model U300, 2.75 litres, timer
 UL110-40 Model U300H, 2.75 litres, heater/timer
 UL110-45 Model U500H, 5.0 litres, heater/timer

NEW ITEMS

Spray Bottle, Bürkle

Capacity 1500ml. Robust, industrial quality, pressurised spray bottle for use in varied applications including visualisation of colourless components on TLC plates, cleaning, disinfection or plant protection. In use a hand pump pressurises the container up to 4 bar and the spray can then be activated by a separate push button. Materials in contact with the sprayed solution are polypropylene, high density polyethylene, fibre-glass reinforced polyamide, stainless steel and fluorocarbon rubber.

An accessory, 300mm long, extension lance allows precise spraying into restricted spaces or the operator to remain further away from the spray area. Supplied singly.

WB988-10 Spray bottle

WB988-17 Accessory 300mm extension lance for WB988-10

T H E E N D

PRICES FOR NEW ITEMS

Page 6 of 6 Pages

October 2012

CAT. NO.	PRICE £	Per	CODE
FH640-15	31.20	pack	RO
MJ299-85	11.25	each	BO
SB215-14	28.30	each	RO
UL110-15	179.00	each	MO
UL110-20	229.00	each	MO
UL110-25	279.00	each	MO
UL110-30	199.00	each	MO
UL110-35	359.00	each	MO
UL110-40	399.00	each	MO
UL110-45	599.00	each	MO
WB988-10	31.50	each	OO
WB988-17	19.60	each	OO
<i>T H E E N D</i>			