

ELECTRONIC CATALOGUE
CUSTOMER'S AMENDMENTS
ISSUE 12 — December 2011
Page 1 of 11 pages

	<i>Amendment</i>
	<p>CANCELLATIONS</p> <p>AN124-30 Cancelled, special order only</p> <p>AN204-10 Cancelled, special order only AN204-20 Cancelled, special order only AN204-24 Cancelled, special order only AN204-30 Cancelled, special order only AN204-35 Cancelled, special order only</p>
	<p>CANCELLATION</p> <p>AN472-42 Cancelled, offer AN472-15</p>
	<p>AMENDMENTS</p> <p>AU170-17 is now 43 litres AU170-23 is now 63 litres AU170-42 is now 63 litres AU170-56 is now 43 litres AU170-63 is now 63 litres AU170-72 is now 63 litres</p> <p>All other details remain unchanged.</p>
	<p>AMENDMENTS</p> <p>AU180-59 is now 135 litres AU180-67 is now 120 litres</p> <p>Also all AU180-series autoclaves now include a 10-programme controller with memory function.</p>

	<p>CANCELLATION</p> <p>AU183-04 Cancelled, now included in unit</p>
	<p>CANCELLATION</p> <p>BB202-06 Cancelled, no replacement</p>
	<p>CANCELLATION</p> <p>BJ420-08 Cancelled, offer BJ384-42</p>
	<p>CANCELLATION</p> <p>BR800-17 Cancelled, offer BR800-30</p>
	<p>CANCELLATION</p> <p>BS601-04 Cancelled, offer LA620-04</p>
	<p>CANCELLATION</p> <p>BT595-20 Cancelled, offer BT595-10</p>
	<p>CANCELLATIONS</p> <p>CD282-40 Cancelled, offer CD345-05 CD282-43 Cancelled, offer CD345-07 CD282-46 Cancelled, offer CD345-09 CD282-48 Cancelled, offer CD345-12</p>
	<p>CANCELLATION</p> <p>CD340-15 Cancelled, offer CD340-20</p>

	<p>CANCELLATION</p> <p>CL745-80 Cancelled, offer CL745-65</p> <p>NEW ITEM</p> <p><u>Wipes, bactericidal, Sani-Cloth 70</u> For disinfection of surfaces in clinical environments. Perforated roll of non-woven material saturated with 70% v/v Isopropyl alcohol B.P. Wipe dimensions 200 x 220mm. Supplied in a dispenser tub of 200.</p> <p>CL745-65 Wipes, bactericidal</p>
	<p>CANCELLATIONS</p> <p>CS405-15 Cancelled, offer CS275-40 CS405-20 Cancelled, offer CS275-40</p>
	<p>CANCELLATION</p> <p>CX100-30 Cancelled, offer CX102-30</p>
	<p>CANCELLATION</p> <p>DH800-15 Cancelled, offer DH800-20</p>
	<p>CANCELLATIONS</p> <p>FC304-06 Cancelled, offer FC336-05 + FC336-25</p> <p>FC316-12 Cancelled, offer FC338-10 + 3x FC336-05 + 3x FC336-25 FC316-32 Cancelled, offer FC338-20 + 6x FC336-05 + 6x FC336-25</p>
	<p>CANCELLATION</p> <p>FK830-30 Cancelled, no replacement</p>

	<p>CANCELLATION</p> <p>GM225-10 Cancelled, offer GM218-10</p>
	<p>NEW ITEMS</p> <p><u>External Temperature Controller, SCT1, Stuart</u> Maximum temperature 200°C. For control and monitoring of stirred media temperature when used with Stuart Undergrad hotplates and hotplate/stirrers. With large, clear, LED display and membrane keypad setting, separate Pt100 sensor within a stainless steel probe (an accessory PTFE coated probe is also available) and flexible cable allowing the controller housing to be mounted away from the vapour stream. Supplied with retort mounting rod and connection cable/plug for attachment to the hotplate output socket. Power supply is provided from the hotplate. Overall W x D x H 90 x 75 x 123mm, weight 0.3kg.</p> <p>HP202-05 SCT1 HP202-07 SCT1/2, accessory PTFE coated temperature probe HP202-11 SCT1/1, accessory probe holder SL360-15 Retort rod</p>
	<p>CANCELLATION</p> <p>HT840-85 Cancelled, special order only</p>
	<p>NEW ITEM</p> <p><u>Bags, polyethylene, Stomacher</u> Generally as MS805-21 but supplied in a plastic carry pack of 1000 bags in sachets of 50.</p> <p>MS805-19 For Model 400</p>
	<p>CANCELLATIONS</p> <p>PD100-50 Cancelled, special order only PD100-52 Cancelled, special order only</p>
	<p>CANCELLATION</p> <p>PJ337-15 Cancelled, no replacement</p>

CANCELLATIONS

PR820-17 Cancelled, offer 12 x PR820-15
PR820-25 Cancelled, offer PR854-55
PR820-35 Cancelled, special order only
PR820-40 Cancelled, special order only
PR820-50 Cancelled, special order only
PR820-55 Cancelled, offer PR850-40
PR820-80 Cancelled, offer PR854-65

PR825-45 Cancelled, offer PR860-28

CANCELLATIONS

PX176-10 Cancelled, offer PX180-10
PX176-15 Cancelled, no replacement

CANCELLATIONS

QWB10 Cancelled, no replacement
QWB11 Cancelled, no replacement
QWB40 Cancelled, no replacement
QWB43 Cancelled, no replacement
QWB50L Cancelled, no replacement
QWB50B Cancelled, no replacement

CANCELLATIONS

SB610-15 Cancelled, offer SB675-20
SB610-20 Cancelled, offer SB675-20

SB625-15 Cancelled, offer SB675-20

SB630-20 Cancelled, offer SB675-20

SB645-12 Cancelled, offer SB675-20
SB645-17 Cancelled, offer SB675-20

CANCELLATIONS

SD100-20 Cancelled, no replacement

SD100-25 Cancelled, no replacement

SD100-30 Cancelled, no replacement

SD105-15 Cancelled, offer SD065-53

SD105-20 Cancelled, offer SD065-53

SD105-25 Cancelled, offer SD065-53

SD105-30 Cancelled, offer SD065-56

SD105-55 Cancelled, no replacement

SD105-70 Cancelled, no replacement

SD105-75 Cancelled, no replacement

SD105-95 Cancelled, offer SD065-53 + SD065-56 + SD065-20

CANCELLATION

SE175-18 Cancelled, offer SE175-25

NEW ITEMS

Cling Film

Food-grade, commercial, transparent PVC for wrapping and sealing containers. Supplied in rolls within a cutter box dispenser. Dimensions indicated are roll length x film width.

SE175-22 300m x 300mm

SE175-25 300m x 450mm

CANCELLATIONS

SL215-10 Cancelled, offer SL760-10 + SL480-24

SL216-08 Cancelled, offer SL760-10

NEW ITEM

Clamp, Funnel

Double funnel clamp, polypropylene with grip screw clamp for mounting on 12.5mm retort rods.

SL760-10 Clamp, funnel, double

CANCELLATIONS

SW446-19 Cancelled, no replacement
SW446-24 Cancelled, no replacement
SW446-29 Cancelled, no replacement
SW446-34 Cancelled, no replacement
SW446-45 Cancelled, no replacement

CANCELLATIONS

TE650-15 Cancelled, special order only
TE650-20 Cancelled, special order only

CANCELLATIONS

TJ702-15 Cancelled, offer TJ702-10
TJ705-17 Cancelled, offer TJ705-12

CANCELLATIONS

TJ845-37 Cancelled, offer TJ390-10
TJ845-48 Cancelled, offer TJ390-10

NEW ITEM

Infra-red Thermometer/Hygrometer

For non-contact temperature and humidity measurement. With Min./Max. display modes, and differential, averaging and “Hold” functions.

- Ergonomic, pistol-grip, hand-held design
- Adjustable emissivity factor
- Over/under temperature audio/visual alarm
- Backlit LCD readout

Range	Temperature:	-60°C to +500°C x 0.1°C
	Humidity:	0 to 100% x 0.1%
Accuracy	Temperature:	±2°C
	Humidity:	±3%
Measuring time		<1 second
Range distance: spot dia. ratio		12:1
Overall H x W x D	mm	184 x 46 x 143
Weight	g	400
Power		2 x 1.5V AAA batteries

As described. Supplied with carrying case and 2 x 1.5V AAA batteries.

TJ390-10 Infra-red thermometer/hygrometer
BL610-08 Battery, 1.5V AAA (2 required)

CANCELLATIONS

WB706-10 Cancelled, offer WB706-25

CANCELLATIONS

WR830-40 Cancelled, offer WR830-45
WR832-28 Cancelled, special order only
WR832-44 Cancelled, no replacement

NEW ITEMS

Hach-Lange Spectrophotometer, DR3900

Highly accurate, water analysis instrument designed to help meet regulatory requirements for drinking, waste, boiler or cooler water.

- Menu-driven, backlit, touchscreen interface for rapid operation
- RFID tagging technology provides sample/user/location ID and rapid data transfer
- Over 220 pre-programmed Hach-Lange methods stored internally, plus 100 user programmes can be entered
- Automatic test identification using accessory, bar-coded, reagent cuvettes
- Automatic rotation of cuvette tests with averaging of 10 readings and outlier rejection
- Reference detector monitors and compensates for optical fluctuations and lamp ageing
- 3 x USB and 1 x ethernet output ports

Wavelength range	nm	320 to 1100 x 1
Wavelength accuracy	nm	±1.5 (within 340 to 900nm)
Spectral bandwidth	nm	5
Readout modes		Transmittance (%), Absorbance, Concentration, Scanning (wavelength, time)
Wavelength selection		Automatic, based on method selection
Photometric accuracy		5mAbs from 0.0 to 0.5Abs, 1% from 0.50 to 2.0 Abs
Data storage		2000 measured values (result, date, time, sample ID, user ID)
Cells accommodated		10mm dia. Lange AccuVac [®] vials, 10mm, 50mm, 1 inch rectangular cells, 13mm and 1 inch dia. cells
Overall H x W x D	mm	151 x 350 x 255
Weight	kg	4.2

Spectrophotometer, Hach-Lange DR3900

As described. Supplied with cell holder for 10mm diameter Lange AccuVac[®] 10mm or 1 inch square cuvettes or 1 inch diameter tubes, operating manual and a.c. adapter requiring a 100-240V 50/60Hz single phase supply.

WR830-45 DR3900

- WR832-08** Sample cells, 10mm square, matched pair
- WR832-15** Samples cells, 1 inch square, matched pair
- WR832-19** RFID set for sample identification, including RFID locator, user, location and sample tags
- WR832-26** Data acquisition software for retrieval of new and logged results from WR830-45. Requires MS-Windows[™] and MS-Excel software and PC for operation
- WR832-49** Spare tungsten-halogen bulb, 6V 10W for WR830-45

	<p>AMENDMENT</p> <p>WR840-35/-45 are now supplied with rechargeable battery giving up to 40 hours field operation.</p> <p>All other details remain unchanged.</p>
	<p><i>T H E E N D</i></p>

PRICES FOR NEW ITEMS
Page 11 of 11 Pages

December 2011

CAT. NO.	PRICE £	Per	CODE
CL745-65	6.40	pack	AO
	5.80	pack per 6	
HP202-05	155.00	each	OS
HP202-07	63.00	each	OS
HP202-11	37.00	each	OS
MS805-19	38.60	pack	RO
SE175-22	5.00	each	RO
SE175-25	7.30	each	RO
SL760-10	4.60	each	AO
TJ390-10	160.00	each	RO
WR830-45	3545.00	each	BO
WR832-19	528.00	each	BO
WR832-26	49.00	each	BO
<i>T H E E N D</i>			